



PO Box 1890
Guayama, PR 00785
tel 787 866 8117
fax 787 866 8139
www.aespuertorico.com

Mr. Jose Rivera
Senior Environmental Engineer
Caribbean Environmental Protection Division
US Environmental Protection Agency, Region 2
City View Plaza, Suite 7000
#48 165 RD. Km 1.2
Guaynabo, PR 00968-8069

Re: AES Puerto Rico LP Written Response to EPA Water Compliance Inspection Report

Dear Mr. Rivera:

At your request, I write on behalf of AES Puerto Rico LP (AESPR) concerning your June 19, 2014 inspection of the AESPR facility ("Inspection") as reflected in the EPA's September 16, 2014 Water Compliance Inspection Report ("Inspection Report") reporting on EPA's assessment of AESPR's compliance with stormwater requirements in the applicable 2008 multi-sector general permit ("MSGP") and the December 22, 2011 Administrative Consent Order between EPA and AESPR ("2011 ACO").

We have considered carefully the issues in your Inspection Report, and as summarized on the attached Response of AES Puerto Rico LP to EPA's September 16, 2014 Water Compliance Inspection Report ("AESPR Response"), AESPR submits that it has addressed each of the issues raised in your Inspection Report regarding AESPR's compliance with the 2011 ACO and the MSGP.

We believe the attached AESPR Response (previously submitted to EPA on January 27, 2015) also would address fully EPA's request in EPA's proposed new consent order for a description of each action to be taken to address each of the findings EPA included in the Inspection Report. We ask that you please confirm that this submission obviates the need for a further submission and that paragraph 72.a of the proposed new consent order can be removed.

Best regards,

A handwritten signature in blue ink, appearing to read "Manuel Mata", written over a light blue circular stamp or watermark.

Manuel Mata

President AES Puerto Rico